



LUBRICANTS

Product Data Sheet

Transcrest® Synthetic Multi-Vehicle ATF

Premium Synthetic, Low Viscosity Automatic Transmission Fluid

Synthetic, low viscosity automatic transmission fluid formulated to deliver the highest performance in most modern, fuel efficient automatic transmissions. It is designed to meet the frictional and wear requirements of most domestic and foreign OEM vehicle manufacturers regardless of age.

Features and Benefits

- Full synthetic, low viscosity formulation
- Superior anti-wear protection and highly shear stable synthetic components
- Excellent sludge and varnish resistance promote clean trouble-free performance
- Improved friction properties provide smooth shifting throughout service life of transmission

Applications

- DEXRON® VI
- MERCON® LV, MERCON® SP
- Toyota WS
- Honda Z-1, Honda DW-1, Nissan Matic J, Matic S and Hyundai SP-IV
- Anywhere DEXRON-II and DEXRON-III fluids in older GM automatic transmissions are specified

Typical Properties

Product Code	Test Method	330022
Kinematic Viscosity, cSt @ 40°C	ASTM D-445	30.6
Kinematic Viscosity, cSt @ 100°C	ASTM D-445	5.8
Viscosity Index (calculated)	ASTM D-2270	135
Brookfield Viscosity, cP @ -40°C	ASTM D-2893	9,500
Pour Point, °F	ASTM D-97	-54
Color, Visual		Red

Note: Typical values shown are representative of current production and may vary within modest range.



918-550-8026



Tulsa, OK 74133



www.nu-tierbrands.com



Suitable for Use Applications:

- Acura ATF-Z1
- Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS), AW-1
- Allison C-3 & C-4
- American Motors ATF +3 (MS7176-E), ATF +4 (MS9602)
- ATF RED 1, RED 1K
- Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)
- Audi/VW 052 055
- Audi/VW G 052 025-A2
- Audi/VW G 052 162 (ZF Lifeguardfluid 5) (ZF No. S671 090 170)
- Audi/VW G 052 162-A1/A2
- Audi/VW G 052 990
- Audi/VW G 053 025-A2
- Audi/VW G 055 025 A2 (JWS 3309)
- Audi/VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus) (ZF No. S671 090 201)
- Audi/VW G 055 540 (A2)
- Audi/VW G 060 162 (ZF Lifeguardfluid 8) (ZF No. S671 090 312)
- Bentley PY112995PA
- BMW 7045E
- BMW ETL 8072B
- BMW JWS 3309 (T-IV)
- BMW LA2634
- BMW LT71141 (ZF 5 HP 18FL/19FL/24A)
- BMW MINI
- BMW ZF 5HP18FL, 5HP24, 5HP30
- Bosch TE-ML 09
- CAT T0-2
- Chrysler ATF+, +2, +3 (MS 7176E), +4 (MS 9602)
- Chrysler/Dodge MOPAR AS 68 RC and AS 69 RC (T-IV), JWS 3309
- Chrysler/Dodge/Jeep 05127382AA
- Chrysler/Dodge/Jeep 68043742AA
- Chrysler/Dodge/Jeep 68171866AA
- Daewoo LT 71141
- Daihatsu AMMIX ATF D-II
- Daihatsu AMMIX ATF D-III SP
- Esso LT 71141
- FIAT T-IV type, JWS 3309
- Ford ESP-M2C166H, XL-12
- Ford FNR5 (Mazda M5, XT-9-QMM5)
- Ford MERCON®
- Ford MERCON® LV (FF-WSS-M2C-93BA/SF, XT-10 QLV)
- Ford WSS M2C 138CJ, 166H
- Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309
- Ford/Lincoln/Mercury XT-2-QDX (M)
- Ford/Lincoln/Mercury XT-2-QSM (Syn)
- Fuso ATF-A4
- Fuso ATF-II
- Fuso ATF-SPIII
- GM 1940700
- GM 1940767
- GM 21005966
- GM 22717466
- GM 88900925
- GM 93160393
- GM 9986195
- GM DEXRON®-II
- GM DEXRON®-IID
- GM DEXRON®-IIE
- GM DEXRON®-IIIG
- GM DEXRON®-IIIIH
- GM DEXRON®-VI
- GM TASA
- GM/GMC/Opel/Saturn 88863400
- GM/GMC/Opel/Saturn 88863401
- GM/GMC/Opel/Saturn AW1
- GM/GMC/Opel/Saturn VI
- GM9986195 (Aisin AW, JWS 3309)
- Hino Blue ribbon ATF
- Honda ATF Ultra II
- Honda ATF-Z1 (except in CVTs)
- Honda DW-1
- Honda Type 2.0
- Honda Type 3.0 / 3.1
- Hyundai/Kia 040000C90SG
- Hyundai/Kia Dex-II/ SP-II
- Hyundai/Kia JWS 3314
- Hyundai/Kia NUMM040 CH20 Red-1
- Hyundai/Kia NWS 9638
- Hyundai/Kia SPH-IV
- Hyundai/Kia SP-III
- Hyundai/Kia SP-IV (00232-1904/04500-00115)
- Hyundai/Kia SP-IV M (SP4-M)
- Hyundai/Kia SP-IV-RR
- Idemitsu K17 3100 PL085
- ISUZU 08200-9001
- ISUZU BESCO ATF SP
- ISUZU BESCO ATF-II
- ISUZU BESCO ATF-III
- ISUZU SCS Fluid
- Jaguar 02JDE26444
- Jaguar ATF 3403 JLM20238.
- Jaguar ATF 3403 M115, ATF 3403-M115,
- Jaguar ATF LT71141, ZF 5HP24
- Jaguar Fluid 8432
- Jaguar JLM 20292
- Jaguar JLM20238
- Jaguar K17
- JASO M315-2013 1A
- JASO M315-2013 1A-LV
- JASO M315-2013 2A
- JEEP ATF+3, +4
- KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1
- Land Rover LR023288
- Lexus JWS 3309
- MAN 339A
- MAZDA ATF 3317
- Mazda ATF D-II
- Mazda ATF F-1
- Mazda ATF FZ
- Mazda ATF M-III
- Mazda ATF M-V
- Mazda ATF N-1
- Mazda ATF S-1
- MB ZF 4HP20
- MINI COOPER T-IV
- Mitsubishi Diaqueen ATF PA
- Mitsubishi Diaqueen AW
- Mitsubishi Diaqueen J2
- Mitsubishi Diaqueen J3
- Mitsubishi Diaqueen SK
- Mitsubishi Diaqueen SP-II
- Mitsubishi Diaqueen SP-III
- Mitsubishi Diaqueen SP-IV
- NAG 1 (Chrysler, Jeep, Cherokee)
- Nissan Matic Fluid C
- Nissan Matic Fluid D
- Nissan Matic Fluid J
- Nissan Matic Fluid K
- Nissan Matic Fluid S
- Opel/GM 19 40 700
- Opel/GM 19 40 767
- Opel/GM 21005966 Transaxle
- Opel/GM 22 17466
- Opel/GM 88900925
- Opel/GM 9986195
- Peugeot ZF 4HP20
- Peugeot/Citreon (PSA) AL4 Automatic gearbox oil (#9730AE)
- Peugeot/Citreon Z 000169756
- Porsche 000 043 205 09
- Porsche 000 043 205 28
- Porsche 999 917 547 00 (A2)
- Porsche ATF 3403-M115,
- Porsche T-IV (JWS 3309)
- Porsche Z 000169756
- Porsche ZF 5HP19FL, ZF 5HP20, LT71141
- Porsche ZF 5HP20
- Porsche LT71141
- Renault DPO/ALA
- Renault Matic D2
- Renault Samsung SATF-D
- Saab 93 160 393
- Saab 93 165 147
- Saab T-IV (JWS 3309)
- Saturn T-IV (JWS 3309)
- Scion (all vehicles)
- Shell 3403, M115, LA 2634
- Shell L 12108
- Ssangyong DSIH 5M-66
- Subaru ATF
- Subaru ATF 5AT
- Subaru ATF, ATF HP
- Subaru DEXRON®-II
- Subaru K0140Y0700
- Suzuki AT OIL 5D06
- Suzuki ATF 2326
- Suzuki ATF 2384K
- Suzuki ATF 3314
- Suzuki ATF 3317
- Suzuki ATF AW-1
- Suzuki JWS 3309
- Texaco 7045-E
- Texaco 8072B
- Texaco N402
- Toyota ATF D-II
- Toyota ATF D-III
- Toyota ATF T-III
- Toyota ATF T-IV
- Toyota ATF WS
- Vickers M2950-S, I-286-S
- Voith 55.6335.xcx (G607)
- Voith Svc Bltn #013 and #118
- Volvo 97325
- Volvo 97335
- Volvo CE 97340
- Volvo PN 1161521
- Volvo PN 1161540/1161640
- Volvo PN 1161621
- Volvo PN 31256774/31256675
- VW 5 HP (ZF 5 HP 30)
- VW 5HP (18FL, 30)
- VW 5HP (19FL, 24A)
- VW G 052 162 (ZF Lifeguardfluid 5)
- VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus)
- VW G 060 162 (ZF Lifeguardfluid 8)
- VW G US 000 162
- VW G055 540 (A2)
- VW G-055-025 A2 (JWS 3309)
- VW TL 521 62
- ZF 8 speed transmissions
- ZF 9 speed transmissions
- ZF 10 speed transmissions
- ZF all 3 & 4 speed transmission
- ZF TE-ML 05L
- ZF TE-ML 09
- ZF TE-ML 11A, 11B, ZF TE-ML 21L



1-800-566-4853



Tulsa, OK 74133



www.nu-tierbrands.com



Note: Always consult vehicle owner's manual and/or dipstick for proper fluid type and recommended drain interval.

1. ***Transcrest® Synthetic Multi-Vehicle ATF is well suited for use in transmissions that require DEXRON® VI, MERCON® LV, or MERCON® SP. This product is not officially licensed or approved by GM or Ford for such applications.*
2. ** Some of these specifications are for a high viscosity fluid. Transcrest® Synthetic Multi-Vehicle ATF can be used in these applications outside of warranty without causing harm to the transmission; however, the viscosity profile may not meet the specification requirements and may be subject to regulation in some states in the U.S. such as California.*
4. *Not for use with Ford Type F applications or any DCT (Dual Clutch Transmission) or CVT (Continuously Variable Transmission).*
5. *If you need additional assistance with identification of which specifications you should claim, please contact your Gulf Lubricants sales representative for more information.*

Rev. 5/21



1-800-566-4853



Tulsa, OK 74133



www.nu-tierbrands.com

