



LUBRICANTS



# Product Data Sheet

## Non-Detergent Lubricants

### *Designed for use in non-critical applications*

Economical, general-purpose oils designed for use in non-critical applications. This includes low pressure hydraulic jacks and light duty air compressors requiring a non-detergent type of lubricant. Non-detergent oils are not recommended for new or newly rebuilt engines or any late model engines that operate at high speeds and high operating temperatures.

### Features and Benefits

- Non-foaming performance
- Excellent wear protection
- Outstanding rust and corrosion protection
- Formulated with highly refined mineral oils

### Applications

- API GL-1 gear applications
- Low pressure hydraulic systems
- Drip oilers and once thru applications
- Light duty air compressors where a non-detergent lubricant is required
- Vintage gasoline engines calling for API SA or SB (obsolete) performance level

### Typical Properties

Material Code	Test Method	333900	333902	333904	333906	333908
SAE Viscosity Grade		10W	20	30	40	50
ISO Grade (Approx.)		32	68	100	150	220
Specific Gravity 15.6°C	ASTM D-287	0.851	0.862	0.872	0.883	0.892
Viscosity, cSt @ 40°C	ASTM D-445	32	66	97	147	218
Viscosity, cSt @ 100°C	ASTM D-445	5.8	9.3	11.7	15.2	19.2
Viscosity Index	ASTM D-2270	121	118	110	105	100
Pour Point, °F	ASTM D-97	-32	-24	-10	0	0
Flash Point, °F	ASTM D-92	428	464	474	484	498
Rust Test A, B	ASTM D-665	Pass	Pass	Pass	Pass	Pass

*These properties are typical of current production, minor variations are to be expected in normal manufacturing.*

Rev. 08/21



1-800-566-4853



Tulsa, OK 74133



[www.nu-tierbrands.com](http://www.nu-tierbrands.com)

